

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	(scheffel same gerd).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:33
S2	46	(scheffel same g).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:33
S3	645	(scheffel).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:33
S4	2532	(parker same hannifin).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:34
S6	0	ep-0439037-S.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:39
S8	2	"3268683".pn.	USPAT; USOCR	OR	ON	2008/11/17 08:40
S9	1	"6152172".pn.	USPAT; USOCR	OR	ON	2008/11/17 08:40
S10	1	jp-02066784-S.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:41
S11	0	ep-0105219-S.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 08:41
S14	76803	((output send transmit transmitting transmission outputting sending) same (pressure near4 (data signal information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:06

S15	45952	((housing enclosure) same ((printed near4 (conductor circuit)) land) same ((circuit near4 board) pcb))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:09
S16	57	S14 same S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:09
S17	0	(high near4 pressure near4 (fluid liquid gas)) same ((homogeneously uniformly) near4 pressurized) same (housing enclosure) same (pcb (printed near3 circuit near3 board)) same ((radial near4 force) torque twisting turning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:51
S18	107	73/1.35.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:52
S19	128	73/30.02.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:52
S20	58	73/61.47.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:52
S21	12	73/61.67.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:52
S22	51	73/61.78.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:52
S23	149	73/114.33.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:53
S24	305	73/152.51.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:53
S25	346	376/247.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:53
S26	144	702/98.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:53
S27	905	702/127.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:53
S28	337	702/138.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:54
S29	155	702/140.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:54

S30	2505	G06F11/30.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 09:55
S31	7267	G06F15/00.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 09:55
S32	12692	G06F19/00.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 09:55
S33	0	(S30 S31 S32) and ((high near4 pressure near4 (fluid liquid gas)) same ((homogeneously uniformly) near4 pressurized) same (housing enclosure) same (pcb (printed near3 circuit near3 board)) same ((radial near4 force) torque twisting turning))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:55
S34	1	((high near4 pressure near4 (fluid liquid gas)) and ((homogeneously uniformly) near4 pressurized) and (housing enclosure) and (pcb (printed near3 circuit near3 board)) and ((radial near4 force) torque twisting turning))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:56
S35	115	(pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure) same ((within inside interior) near8 (enclosure housing casing (valve near3 body) body))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:17
S36	2	("5150103" "4813448").pn.	USPAT	OR	OFF	2008/11/17 13:29

S37	0	((high near4 pressure near4 (fluid liquid gas)) same (housing enclosure) same (pcb (printed near3 circuit near3 board)) same ((radial near4 force) torque twisting turning))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:37
S38	0	((high near4 pressure near4 (fluid liquid gas)) same (pcb (printed near3 circuit near3 board)) same ((radial near4 force) torque twisting turning)) and (housing enclosure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:38
S39	485	((high near4 pressure near4 (fluid liquid gas)) and (pcb (printed near3 circuit near3 board)) and ((radial near4 force) torque twisting turning)) and (housing enclosure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:39
S40	24	((high near4 pressure near4 (fluid liquid gas)) and ((pcb (printed near3 circuit near3 board)) same ((radial near4 force) torque twisting turning)) and (housing enclosure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:39
S41	14	((pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure) near8 ((high near3 pressure) (homogeneous uniform uniformly homogeneously)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/18 08:16
S42	0	((pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure) near8 ((both near3 (face side)) near8 ((exposed at subjected) near5 ("same" like uniformly homogeneously)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:25

S43	37	(pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure) same (radial outward torque circumferential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:27
S44	1249	(pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:44
S45	36371	(pressure near5 (chamber enclosure space)) same (high near3 pressure near4 (gas fluid liquid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:46
S46	671	(pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((exposed subjected exposure) near8 pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:47
S47	3	S44 and S45 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:47
S48	8	S44 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 08:48
S49	574	73/753.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 09:06
S50	482	73/754.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 09:06
S51	1053	73/756.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 09:06
S52	1036	(pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/18 09:07

S53	72	(S49 S50 S51) and (pcb (printed near4 circuit near4 board) (strip near4 conductor)) same ((measure detect sense measuring sensing detecting measurement detection) near8 pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 09:08
S54	49	("5409384" "5820532" "4591950" "5501612" "6178094" "6210177" "6210177" "5445529" "5602723" "5882214" "6041498" "6244909" "4352964" "5348488" "5472354" "5486114" "5556286" "5632649" "5725389" "5730614" "5746622" "5863210" "5897384" "6042398" "6042423" "6152597" "4323979" "4533203" "4560221" "4587596" "4591225" "4604529" "4864283" "5180232" "5248458" "5306163" "5318464" "5358413" "5360346" "5375040" "5378160" "5395265" "5402312" "5466161" "5499837" "5500789" "5519169" "5567166").pn.	USPAT	OR	OFF	2008/11/18 10:02
S55	492581	((measure monitor gauge gauging measuring monitoring measurement sense detect detecting detection sensing) near8 pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:22
S56	130062	((flexible flexing bendable bending pliable pliant) near8 (circuit sensor transducer detector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:23
S57	3304	S55 same S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:23

S58	1058162	((flexible flexing bendable bending pliable pliant) near8 (circuit sensor transducer detector)) diaphragm differential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:25
S59	45812	S55 same S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:25
S60	3026	S59 same (stress strain ((longitudinal length) near8 (movement displacement)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:26
S61	204	S60 same ((within inside interior) near8 (housing enclosure casement casing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 10:27
S62	237	137/7.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 11:56
S63	331	137/12.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 11:57
S64	658	137/14.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 11:57
S65	366	361/283.1.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 11:58
S66	357	361/283.4.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 11:58
S67	65	700/203.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 11:59
S68	174	340/451.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/18 12:00
S69	7416	(pressure near3 (sensing detecting measurement measuring monitor monitoring detection measure)) same ((circuit near3 board) pcb diaphragm differential) same (housing enclosure space volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:05

S70	3	(pressure near3 (sensing detecting measurement measuring monitor monitoring detection measure)) same ((flexible bendable pliable pliant) with ((circuit near3 board) pcb diaphragm differential)) same (housing enclosure space volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:06
S71	14	(pressure near3 (sensing detecting measurement measuring monitor monitoring detection measure)) same ((circuit near3 board) pcb diaphragm differential) same (housing enclosure space volume chamber enclosing) same ((strip film laminate) near3 (conductor land wire))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:10
S72	1	(system same (detecting transmitting sensing monitoring measuring detect measure detection measurement monitor sense) same ((pressure test) near5 data)) and (printed near5 (wire conductor land)) same (connected attached) near5 ((sensing transduction transducing) near5 (element part portion piece unit item)) and (pressure near4 (chamber enclosure cast casting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:44
S73	4	(system same (detecting transmitting sensing monitoring measuring detect measure detection measurement monitor sense) same ((pressure test) near5 data)) and (printed near5 (wire conductor land)) and (pressure near4 (chamber enclosure cast casting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:47
S74	133497	(hydraulic near4 valve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:18

S75	8080	(hydraulic near4 valve) and ((detect measure sense detecting measuring sensing detected measured sensed) near8 (movement motion displacement excursion position) near8 (piston rod valve member))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:22
S76	2311	(hydraulic near4 valve) same ((detect measure sense detecting measuring sensing detected measured sensed) near8 (movement motion displacement excursion position) near8 (piston rod valve member))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:24
S77	304	(hydraulic near4 valve) same ((detect measure sense detecting measuring sensing detected measured sensed) near8 (movement motion displacement excursion position) near8 (piston rod valve member)) same ((self near3 contained) housing enclosure casing encasement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:25
S78	5170	((circuit near3 board) pcb diaphragm differential) same ((pressurized pressured) near8 ((self near3 contained) housed housing enclosure enclosed encased encasement chamber))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:43
S79	1033	((circuit near3 board) pcb diaphragm differential) near8 ((pressurized pressured) near8 ((self near3 contained) housed housing enclosure enclosed encased encasement chamber))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:43

S80	1087	((((circuit near3 board) pcb diaphragm differential) near8 ((pressurized "high pressure" pressured) near8 ((self near3 contained) housed housing enclosure enclosed encased encasement chamber)))) same (((circuit near3 board) pcb diaphragm differential) near8 (clamped fixed between amid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:47
S81	3	((((circuit near3 board) pcb diaphragm differential) near8 ((pressurized "high pressure" pressured) near8 ((self near3 contained) housed housing enclosure enclosed encased encasement chamber)))) same (((circuit near3 board) pcb diaphragm differential) near8 (clamped fixed between amid)) same ((reduce decrease lower less smaller eliminate elimination reduced reduction decreased) near8 ((radial torsional torque axial) near5 force))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:51
S82	0	((electrically electric electronic) near8 (detect transmit detecting transmitting detection transmission sense sensing sensed) near8 pressure) same ((sealed closed) near8 (housing enclosure encasement assembly)) same ((pcb (circuit near3 board) diaphragm) near8 (clamped fixed affixed) near5 (between amid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:01

S83	2	((electrically electric electronic) near8 (detect transmit detecting transmitting detection transmission sense sensing sensed) near8 pressure) and ((sealed closed) near8 (housing enclosure encasement assembly)) same ((pcb (circuit near3 board) diaphragm) near8 (clamped fixed affixed) near5 (between amid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:03
S84	7	((detect transmit detecting transmitting detection transmission sense sensing sensed) near8 pressure) same ((pcb (circuit near3 board) diaphragm) near8 (clamped fixed affixed) near5 (between amid))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:07
S85	1	"4850228".pn.	USPAT	OR	OFF	2008/11/18 15:13
S86	521269	(pressure near3 (chamber enclosure housing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:46
S87	2880945	((detect sense transmit detecting transmitting transmittance sensing transmission detection) near8 (signal data information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:48
S88	622292	((circuit near4 board) pcb diaphragm (component near4 laminate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:52
S89	127049	((printed inked) near4 (conductor lead land wire wiring))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:53
S90	8481	S86 same S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:54

S91	49386	S88 same S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:54
S92	1	S90 same S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:54
S93	41	S90 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 07:54
S94	399516	((printed flexible bendable) near4 circuit near4 board) pcb diaphragm fpc (component near4 laminate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 08:08
S95	0	((both near4 (side face surface)) near8 S94 near8 (exposed subjected) near8 pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 08:11
S96	6	((both near4 (side face surface)) near8 (((printed flexible bendable) near4 circuit near4 board) pcb diaphragm fpc (component near4 laminate))) same ((exposed subjected) near8 pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 08:12
S97	36	((pressure near4 (sensitive reactive reacting sensing detecting detection)) near8 (((printed flexible bendable) near4 circuit near4 board) pcb diaphragm fpc)) same (pressure near3 (chamber enclosure housing module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 08:18

11/19/08 8:52:18 AM

C:\Documents and Settings\dwashburn\My Documents\EAST\Workspaces\10551853.wsp

S1, S2, S8-10, S16, S18-23, S26, S29, S34-36, S39-41, S43, S47, S48, S53, S54, S61, S62, S67, S68, S70-73, S77, S81, S83-85, S92, S93, S96 AND S97 FULLY SEARCHED /DW/